



9316-R2

16/6 EXCEL

SHOW BUCK & DOE

**MEDICATED
FOR RUMINANTS ONLY**

FOR GROWING AND FINISHING MEAT GOATS FOR SHOW

For the prevention of coccidiosis caused by *Eimeria crandallis*, *Eimeria christensenii* and *Eimeria ninakohlykimovae*

Monensin..... 20 g/ton

ACTIVE DRUG INGREDIENTS

GUARANTEED ANALYSIS

| | | | |
|--|---------|--------------------------------|--------|
| CRUDE PROTEIN.....MIN | 16.00 % | COBALT.....min.....PPM | 1.00 |
| This includes not more than 1.60% equivalent crude protein from non -protein nitrogen. | | COBALT COMPLEX...min.....PPM | 0.90 |
| CRUDE FAT.....MIN | 6.00 % | COPPER.....min.....PPM | 28.00 |
| CRUDE FIBER.....MAX | 17.00 % | COPPER COMPLEX...min.....PPM | 8.80 |
| CALCIUM.....MIN | 0.95 % | COPPER.....max.....PPM | 33.00 |
| CALCIUM.....MAX | 1.25 % | MANGANESE...min.....PPM | 100.00 |
| PHOSPHORUS.....MIN | 0.35 % | MANGANESE COMPLEX...min...PPM | 14.00 |
| SALT.....MIN | 0.75 % | ZINC.....min.....PPM | 105.00 |
| SALT.....MAX | 1.25 % | ZINC COMPLEX.....min.....PPM | 25.00 |
| | | SELENIUM.....min.....PPM | 0.40 |
| | | VITAMIN A .NOT LESS THAN IU/LB | 10,000 |
| | | VITAMIN E .NOT LESS THAN IU/LB | 85 |

INGREDIENTS

ROUGHAGE PRODUCTS (22%), FORAGE PRODUCTS, GRAIN PRODUCTS, PROCESSED GRAIN BY-PRODUCTS, PLANT PROTEIN PRODUCTS, MOLASSES PRODUCTS, FISH MEAL, GROUND LIMESTONE, SALT, AMMONIUM CHLORIDE, VITAMIN A SUPPLEMENT, VITAMIN D3 SUPPLEMENT, VITAMIN E SUPPLEMENT, LACTOBACILLUS ACIDOPHILUS, MANGANESE SULFATE, MANGANESE AMINO ACID COMPLEX, FERROUS CARBONATE, ETHYLENEDIAMINE DIHYDRIODIDE, ZINC SULFATE, ZINC AMINO ACID COMPLEX, COPPER SULFATE, COPPER AMINO ACID COMPLEX COBALT SULFATE, FERROUS SULFATE, COBALT GLUCOHEPTONATE, SODIUM SELENITE, SODIUM BICARBONATE, FOLIC ACID, NIACIN SUPPLEMENT, DRIED ASPERGILLUS ORYZAE FERMENTATION PRODUCT, TRIMETHYLGLYCINE, RIBOFLAVIN SUPPLEMENT, THIAMINE MONONITRATE.

CAUTION: 1. DO NOT FEED TO LACTATING GOATS. 2. DO NOT ALLOW HORSES OR OTHER EQUINES ACCESS TO FEED CONTAINING MONENSIN. INGESTION OF MONENSIN BY HORSES HAS BEEN FATAL. FEEDING UNDILUTED OR MIXING ERRORS RESULTING IN HIGH CONCENTRATIONS OF MONENSIN HAS BEEN FATAL IN CATTLE AND COULD BE FATAL IN GOATS. MONENSIN-MEDICATED FEED IS INTENDED FOR USE IN CATTLE AND IN GOATS. CONSUMPTION BY UNAPPROVED SPECIES MAY RESULT IN TOXIC REACTION.

FEEDING DIRECTIONS

FEEDING 1# OF EXCEL GOAT SUPPLIES 10 mg/lb OF MONENSIN. FEED CONTINUOUSLY AS THE SOLE RATION. PROVIDE FRESH WATER AT ALL TIMES. KEEP A GOOD QUALITY ROUGHAGE SUPPLY AVAILABLE WHEN NEEDED. FREE CHOICE MINERALS MAY BE OFFERED

5/5/17 6553

ALLIED FEEDS INC.
208 HUTCHESON : CUERO, TEXAS 77954
NET WEIGHT 50# (22.72 kg)

01