

7130-BL

12% BEEF GROWER

MEDICATED

FOR BEEF STOCKER CALVES

For increased rate of weight gain in pasture cattle (slaughter, stocker feeder cattle, and dairy and beef replacement heifers)

ACTIVE DRUG INGREDIENTS

BAMBERMYCINS 4 GM/TON

GUARANTEED AMALTEES

| CRUDE PROTEIN MIN 12.00 % | CALCIUMMAX | 1.45 % |
|--------------------------------------------|---------------|------------|
| (This includes not more than 3.0% equi- | PHOSPHORUSMIN | 0.50 % |
| valent protein from non-protein nitrogen.) | SALTMIN | 1.50 % |
| CRUDE FAT MIN 3.40 % | SALTMAX | 2.50 % |
| CRUDE FIBER MAX 16.00 % | POTASSIUMMIN | 0.60 % |
| CALCIUM MIN 0.95 % | VITAMIN AMIN | 5000 IU/LB |

PROCESSED GRAIN BY-PRODUCTS, GRAIN PRODUCTS, ROUGHAGE PRODUCTS (18%), PLANT PROTEIN PRODUCTS, GROUND LIMESTONE, MOLASSES PRODUCTS, SALT, UREA, VITAMIN A SUPPLEMENT, D-ACTIVATED ANIMAL STEROL (SOURCE OF VITAMIN D3), VITAMIN E SUPPLEMENT, ZINC SULFATE, FERROUS CARBONATE, MANGANESE SULFATE, COPPER SULFATE, SODIUM SELENITE. ETHYLENEDIAMINE DIHYDRIODIDE. COBALT SULFATE. DRIED ASPER-GILLUS ORYZAE FERMENTATION PRODUCT, HYDROLYZED YEAST, BREWERS DRIED YEAST, DRIED BACILLUS LICHENIFORMIS FERMENTATION PRODUCT, DRIED BACILLUS SUBTILIS FERMENTATION PRODUCT.

Feeding Directions

FEED CONTINUOUSLY AT A RATE OF 10 -40 MG/HEAD/DAY IN AT LEAST 1 POUND AND NOT MORE THAN 10 POUNDS OF FEED. DAILY BAMBERMYCINS INTAKE IN EXCESS OF 20 MG/HEAD/DAY HAVE NOT BEEN SHOWN TO MORE EFFECTIVE THAN 20 MG/HEAD/DAY.

3/8"

ALLIED FEEDS INC. 208 HUTCHESON , CUERO, TEXAS 77954 1-800-242-3500 Totes or NET WT 50# (22.72 KG) 01

| IC | | Γ# |
|----|--|----|
| | | |