







MEDICATED FOR RUMINANTS ONLY

FOR GROWING AND FINISHING MEAT GOATS FOR SHOW For the prevention of coccidiosis in young goats caused by Eimeria christenseni & Eimeria ninakohlykimoyae

ACTIVE DRUG INGREDIENTS

Decoquinate		13.6 g/tor	1
GUARANTEED ANALYSIS			
COURT PROTEIN AMIN	46.00%	SALTMIN	0.75 %
CRUDE PROTEIN MIN	16.00 %	SALTMAX	1.25 %
This includes not more than 1.0% equivalent crude protein		COBALTPPM	1.10
		COPPERPPM	27.0
from non-protein nitrogen.		COPPERPPM	30.0
CRUDE FAT MIN	3.00 %	MANGANESEminPPM	90.00
CRUDE FIBER MAX	18.00 %	ZINCPPM	105.00
CALCIUM MIN	0.95 %	SELENIUMminPPM	0.45
CALCIUM MAX	1.00 %	VITAMIN ANOT LESS THAN IU/LB	10.000
PHOSPHORUS MIN 0.30 %	VITAMIN ENOT LESS THAN IU/LB	25	

INGREDIENTS: ROUGHAGE PRODUCTS (24%), FORAGE PRODUCTS, GRAIN PRODUCTS, PROCESSED GRAIN BYPRODUCTS, PLANT PROTEIN PRODUCTS, MOLASSES PRODUCTS, CALCIUM CARBONATE, ANIMAL PROTEIN
PRODUCTS, AMMONIUM CHLORIDE, SALT, HYDROLYZED YEAST CELL WALL, DRIED ENTEROCOCCUS FAECIUM FERMENTATION PRODUCT, DRIED LACTOBACILLUS ACIDOPHILUS FERMENTATION PRODUCT, DRIED
ASPERGILLUS ORYZAE, DRIED ASPERGILLUS NIED BACILLUS SUBTILLUS FERMENTATION EXTRACT, ZINC
SULFATE, L-LYSINE MONHYDROCHLORIDE, VEGETABLE OIL, NATURAL AND ARTIFICIAL FLAVORS, ZINC
PROTEINATE, MANGANESE PROTEINATE, VITAMIN E SUPPLEMENT, SELENIUM YEAST, COPPER SULFATE,
VITAMIN A SUPPLEMENT, COPPER PROTEINATE, VITAMIN D3 SUPPLEMENT, FERROUS SULFATE, COBALT
PROTEINATE, ETHOXYQUIN (A PRESERVATIVE), ETHYLENEDIAMINE DIHYDRIODIDE, AND COBALT SULFATE.

WARNING: DO NOT FEED TO GOATS PRODUCING MILK FOR HUMAN CONSUMPTION

FEEDING 1# OF EXCEL GOAT SUPPLIES 6.8 MG OF DECOQUINATE. FEED FREE CHOICE OR FEED AT LEAST 28 DAYS DURING EXPOSURE TO COCCIDIOSIS OR WHEN EXPERIENCE INDICATES THAT IS LIKELY TO BE A HAZARD.

ALLIED FEEDS INC.
208 HUTCHESON : CUERO, TEXAS 77954
NET WEIGHT 50# (22.72 kg) 01