

## 7370-BO

# **EXCEL EXCELERATOR HI NRG**

### **MEDICATED**

## For Finishing Steers for Show

For improved feed efficiency in cattle fed in confinement for slaughter.

#### **ACTIVE DRUG INGREDIENT**

LASALOCID...... 25 GM/TON

#### **GUARANTEED ANALYSIS**

CRUDE PROTEIN MIN CRUDE FAT MIN		PROTEINATE COBALT		0.55 0.50
CRUDE FIBER MAX	12.00%	COPPER	PPM	15
CALCIUM MIN	0.30%	PROTEINATE COPPER	PPM	5
CALCIUM MAX	0.80%	MANGANESE	PPM	27
PHOSPHORUS MIN	0.35%	PROTEINATE MANGANESE I	PPM	8
SALTMIN	0.25%	ZINC	PPM	33
SALTMAX	0.55%	PROTEINATE ZINC	PPM	14
POTASSIUM MIN	0.70%	VITAMIN AMIN IU/LB		4000

#### **INGREDIENTS**

Steam Flaked Corn, Roughage Products (16%), Molasses Products, Cottonseed Meal, Steam Flaked Barley, Steam Flaked Oats, Roasted Soybeans, Ground Limestone, Monocalcium Phosphate, Salt, Processed Grain By Products, Forage Products, Dried Aspergillus Oryzae Fermentation Product, Dried Lactobacillus Acidophilus Fermentation Product, Dried Aspergillus Niger Fermentation Extract, Yeast Culture, Dried Trichoderma Longibrachiatum Fermentation Extract, Dried Enterococcus Faecium Fermentation Product, Dried Bacillus Subtilis Fermentation Extract, Hydrolyzed Yeast, Mineral Oil, Vitamin A Supplement, Vitamin D supplement, Vitamin E Supplement, Vitamin B-12 Supplement, Ethylenediamine Dihydriodide, Thiamine Mononitrate, Folic Acid, Copper Proteinate, Zinc Proteinate, Cobalt Proteinate, Manganese Proteinate, Selenium Yeast, Yucca Schidigera Extract.

#### FEEDING DIRECTION

Feed Excel Excelerator Hi NRG at a rate of 2% of bodyweight, over a 2 week period slowly increase to 2.5—3% of bodyweight as the calf acclimates to the feed. Feed continuously in complete feed to provide not less than 100mg nor more than 360mg /hd/day. Always provide high quality hay and always provide fresh water daily. Put out a Excel Coolyx Stress tub for fly control and digestive health, along with top dressing with Excel Show Supplement.

Caution: The safety of Lasalocid for use in unapproved species has not been established. Do Not allow horses or other equines access to feeds containing Lasalocid as ingestion may be fatal.

Warning: A withdrawal period has not been established for this product in pre-ruminating cattle. Do Not use in calves to be processed for veal.