

AGRILIFE EXTENSION **Culling During Growout** Eliminate poor quality birds as detected ►Why? Reduce competition and improve performance Prevent cannibalism • Reduce disease problems and risk Maintain adequate feeder and waterer space ▶What? · Crippled, runty and unthrifty chicks Deformed individuals

2





AGRILIFE EXTENSION **Crooked Keel Bone**





ATEXAS ASM GRILIFE Selection and Judging ► Broilers (pen of 3 birds) Conformation 30% Fleshing 45% Finish 5% Uniformity 20%* * Not recommended to leave "big bird" at home


5 6


















AGRILIFE EXTENSION Finish and Pigmentation Finish is the amount of fat deposited under the skin Most well-fleshed birds carry more than an adequate amount of fat Pigmentation is the color of the skin Pigmentation should receive little or no emphasis by the judge

14

16



AGRILIFE EXTENSION An Example Champion Pen 10.00 11.66 11.31 Live bird weight (lbs.) 46 days of age





AGRILIFE EXTENSION Determining Male or Female? Important when culling for sex-separate shows Cockerel show Pullet show **Be careful when culling early on during growout (3-4 weeks) Can't cull only based on weight/size because you'll remove your pullets Not a factor in straight-run shows Doesn't matter if males and females are mixed to make a show pen of broilers Males (secondary sex characteristics) Bigger combs, longer waddles, wider head

17 18











21 22





23 24



